



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/713,448	11/14/2003	Robert E. Levin	026171.0004	9647

7590 03/31/2008
Thomas F. Bergert
Williams Mullen, PC
Suite 700
8270 Greensboro Drive
McLean, VA 22102

EXAMINER

SERROU, ABDELALI

ART UNIT	PAPER NUMBER
----------	--------------

2626

MAIL DATE	DELIVERY MODE
-----------	---------------

03/31/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	10/713,448	LEVIN, ROBERT E.	
	Examiner	Art Unit	
	Abdelali Serrou	2626	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 18 December 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-18 and 21-30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-18 and 21-30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 14 November 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

1. In response to the office action mailed on 6/18/07, applicant filed an amendment on 12/18/07, amending claims 1, 9-10, and 27-28, and canceling claims 19-20. The pending claims are 1-18, and 21-30.

Response to Arguments

2. Applicant's arguments with respect to claims 1-18, and 21-30 have been considered but are moot in view of the new ground(s) of rejection.

Claim Objections

3. Claims 21-26 are objected to because of the following informalities: Claims 21-26 depend from cancelled claim 19. To further timely prosecution and evaluating prior art the interpreter has interpreted that claims 21-26 depend from claim 1.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 5, 8-12, 15-18, 24, and 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sadhwani et al. (hereinafter "Sadhwani") (US 2002/0069048) in view of Miyahira et al. (hereinafter "Miyahira" (US 6,876,963 filed on sep. 22, 2000 and issued on Apr. 5, 2005).

As per claim 1, Sadhwani teaches, a method for translating short message service (SMS) messages, comprising the steps of: receiving a first SMS message (communication technologies ... SMS Paragraph [0003]) from a first device (Fig. 1, cell phone 6), including sending and receiving party identification information;

searching an SMS message translation database using at least one of the sending and receiving party identification information to determine a language pair; (In this preferred embodiment, the system looks up the address book for the appropriate email address, phone number or destination information as applicable; Paragraph [0058]), in response to determining said language pair, translating said SMS message from a first language of said language pair to a second language of said language pair; and (The information converting means (9) then performs one of a variety of possible functions including: (a) leaving the information (18) in its primary format (25) and language (27); (b) converting the format of the primary information (18) into an alternative format; and/or (c) translating the content of the primary information (18) from the primary language (27) into a secondary language (28). Paragraph [0031] [0032]) communicating at least a portion of said translated message to a user of a second device audibly via a second device speaker or visibly on a display of said second device ((c) translating the content of the primary information (18) from the primary language (27) into a secondary language (28). Paragraph [0033]) (Fig. 1 mobile phone 6).

Sadhwani does not explicitly teaches using a first selected translation dictionary from a plurality of available translation dictionaries, wherein the first selected dictionary is selected according to a topic detected by matching words in the first SMS message to nodes in an ontological database.

Miyahira in the same field of endeavor teaches selecting a translation dictionary from a plurality of available translation dictionaries, wherein the selected dictionary is selected according to a topic detected by matching words in the input text to nodes in an ontological database (Fig. 3, and col. 7, line 46 –col. 8, line 67, wherein the system detects the topic of the input text based on keywords within the text and matches them with nodes (topic dictionaries within the database) to select the dictionary.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate the automatic dictionary switching device of Miyahira with the system of Sadhwani to select a first translation dictionary from a plurality of available translation dictionaries, wherein the first selected dictionary is selected according to a topic detected by matching words in the first SMS message to nodes in an ontological database, because Miyahira teaches that this would improve translation quality (col. 1, lines 19-35).

As per claim 5, Sadhwani teaches wherein receiving a first SMS message includes receiving an SMS signaling message having an electronic mail (email) address and wherein searching in said SMS message translation database includes searching based on the email address. (In this preferred embodiment, the system looks up the address book for the appropriate email address, phone number or destination information as applicable; Paragraph [0058]).

As per claim 8, Sadhwani teaches wherein said language pair can be stored in connection with said sending and receiving party information. (For example, an information source (17) may send information (18) in the form of an email, written in English, to the information receiving means (2). The primary format (25) would therefore be email format and the primary language (27) would be English. The information converting means (9) then (at the request of the information source (17) or information recipient (16)) converts the content of the English email, by doing a text-to-text translation into French under control of appropriate software, thus producing a French email. In this case, the secondary language is therefore French. The information converting means (9) then translates the French text email into a secondary format (26) such as an audible format. Thus the information recipient (16) retrieves the converted information (11) in its secondary format and/or language by listening to the French sound recording, Paragraph [0034]).

As per claim 9, Sadhwani receiving a second SMS message (communication technologies ... SMS Paragraph [0003]) from a first device (Fig. 1, cell phone 6).

Sadhwani does not explicitly teach detecting a second topic using a second selected translation dictionary from the plurality of available translation dictionaries, with the second selected translation dictionary being different from the first selected translation dictionary.

Miyahira in the same field of endeavor teaches selecting a translation dictionary from a plurality of available translation dictionaries, with the second translation dictionary being different from the first selected translation dictionary (Fig. 3, and col. 7, line 46 –col. 8, line 67, wherein the system switches between dictionaries based the detected the topic of the input text).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate the automatic dictionary switching device of Miyahira with the system of Sadhwani to select a second translation dictionary from a plurality of available translation dictionaries, wherein the second selected dictionary is different from the first translation dictionary, because Miyahira teaches that this would improve translation quality (col. 1, lines 19-35).

As per claim 10, Sadhwani teaches, a method for processing short message service (SMS) messages, comprising the steps of: receiving user-specific SMS message translation data and storing said data in an SMS message translation table; (Fig. 1 Address Book 31) receiving an SMS message from a network; extracting parameters from said SMS message; (In this preferred embodiment, the system looks up the address book for the appropriate email address, phone number or destination information as applicable; Paragraph I00581), searching in said SMS message translation table using the extracted parameters; identifying a language pair based on said user-specific SMS message data. (The information converting means (9) then performs one of a variety of possible functions including: (a) leaving the information (18) in its primary format (25) and language (27); (b) converting the format of the primary information (18) into an alternative format; and/or (c) translating the content of the primary information (18) from the primary language (27) into a secondary language (28). Paragraph 10031] [00321] ((c) translating the content of the primary information (18) from the primary language (27) into a secondary language (28). Paragraph 10033]) (Fig. 1 mobile phone 6), and translating the SMS message from a first language of the identified language pair to a second language of the identified language pair ((c) translating the content of the primary information (18) from the primary

language (27) into a secondary language (28). Paragraph [0033]) (Fig. I mobile phone 6 Paragraph 100581).

Sadhwani does not explicitly teach using a first selected translation dictionary from a plurality of available translation dictionaries, wherein the first selected dictionary is selected according to a topic detected by matching words in the first SMS message to nodes in an ontological database.

Miyahira in the same field of endeavor teaches selecting a translation dictionary from a plurality of available translation dictionaries, wherein the selected dictionary is selected according to a topic detected by matching words in the input text to nodes in an ontological database (Fig. 3, and col. 7, line 46 –col. 8, line 67, wherein the system detects the topic of the input text based on keywords within the text and matches them with nodes (topic dictionaries within the database) to select the dictionary.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate the automatic dictionary switching device of Miyahira with the system of Sadhwani to select a first translation dictionary from a plurality of available translation dictionaries, wherein the first selected dictionary is selected according to a topic detected by matching words in the first SMS message to nodes in an ontological database, because Miyahira teaches that this would improve translation quality (col. 1, lines 19-35).

As per claim 11, Sadhwani teaches wherein said step of receiving user-specific SMS message translation data includes receiving recipient-based data in the SMS message translation table. (In this preferred embodiment, the system looks up the address book for the appropriate email address, phone number or destination information as applicable [0058]).

As per claim 12, Sadhwani teaches wherein said step of receiving recipient-based data includes receiving and storing mobile subscriber identification information in the SMS message translation table (In this preferred embodiment, the system looks up the address book for the appropriate email address, phone number or destination information as applicable; Paragraph [0058]).

As per claim 15, Sadhwani teaches wherein said step of receiving recipient-based data includes receiving and storing network identification information in the SMS message translation table (In this preferred embodiment, the system looks up the address book for the appropriate email address, phone number or destination information as applicable; Paragraph [0058]).

As per claim 16, Sadhwani teaches wherein said step of receiving user-specific SMS message translation data includes receiving and storing sender-based translation data in the SMS message translation table (Fig. 1, Address Book 31).

As per claim 17, Sadhwani teaches wherein said step of receiving sender-based data includes receiving and storing sender mobile subscriber identification information in the SMS message translation table (Fig. 1, Address Book 31).

As per claim 18, Sadhwani teaches wherein said step of receiving sender-based SMS message translation data in the SMS message translation table includes allowing the user to input sending network identification information in the SMS message translation table. (Fig. 1, Address Book 31).

As per claim 24, Sadhwani teaches wherein the translation apparatus receives an SMS signaling message having an electronic mail (email) address and wherein searching in said SMS message translation database includes searching based on the email address (In this preferred

embodiment, the system looks up the address book for the appropriate email address, phone number or destination information as applicable; Paragraph [00581]).

As per claim 27, Sadhwani teaches a communications module for sending and receiving SMS messages; (Fig. 1 mobile phone 6) an SMS message translation module for analyzing SMS messages received by the communications module and translating the SMS messages; and an SMS message translation database containing data used by the SMS translation module to determine a language pair for translation.

Sadhwani does not explicitly teaches using a first selected translation dictionary from a plurality of available translation dictionaries, wherein the first selected dictionary is selected according to a topic detected by matching words in the first SMS message to nodes in an ontological database.

Miyahira in the same field of endeavor teaches selecting a translation dictionary from a plurality of available translation dictionaries, wherein the selected dictionary is selected according to a topic detected by matching words in the input text to nodes in an ontological database (Fig. 3, and col. 7, line 46 –col. 8, line 67, wherein the system detects the topic of the input text based on keywords within the text and matches them with nodes (topic dictionaries within the database) to select the dictionary.

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate the automatic dictionary switching device of Miyahira with the system of Sadhwani to select a first translation dictionary from a plurality of available translation dictionaries, wherein the first selected dictionary is selected according to a topic

detected by matching words in the first SMS message to nodes in an ontological database, because Miyahira teaches that this would improve translation quality (col. 1, lines 19-35).

Claims 2-4, 6-7, 21-23 and 25 - 26 are rejected under 35 U.S.C. 103 (a) as being unpatentable over Sadhwani in view of Miyahira, as applied to claim 1, and further in view of Wood et al. (US 2004/0259531).

As per claim 2, Sadhwani in view of Miyahira teach the method of claim 1, but do not explicitly teach, wherein said sending party information includes a short code.

In the same field of endeavor, Wood teaches, (As discussed above, the SMSC 13 recognizes "short codes" and a mobile device 18 can send messages to applications connected to its home SMSC 13 by addressing the messages to the application "short code", paragraph [01311]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "short code" of Wood in the invention of Sadhwani in view of Miyahira because the short code is an indication of the user and associated calling country, with certain countries a language is associated with that specific country and this makes the verification for language translation easier.

As per claim 3, Sadhwani in view of Miyahira teach the method of claim 1 but do not explicitly teach wherein the step of receiving a first SMS message includes receiving a first SMS message having a mobile subscriber integrated services digital network (MSISDN) number and wherein searching in said message translation database includes searching based on the MSISDN number.

In the same field of endeavor, Wood teaches, (An application is assigned an identifier, which corresponds, to an MSISDN number within the domain of operator network A. Thus, regardless of where a message originates, the originating network will attempt to route the message to what appears to be a mobile device in network A. Paragraph [01441).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "MSISDN" of Wood in the invention of Sadhwani in view of Miyahira because the MSISDN is an indication of the user and associated calling country and network, with certain countries a language is associated with that specific country and this makes the verification for language translation easier.

As per claim 4, Sadhwani in view of Miyahira teach the method of claim 1 but do not explicitly teach wherein receiving a first SMS message includes receiving an SMS message having an international mobile station identifier (IMSI) number and wherein searching in said SMS message translation database includes searching based on the IMSI number.

In the same field of endeavor, Wood teaches that the IMSI is another standard that is well known in the art, (Absent Subscriber--This is caused by the MSISDN being set off-line via the web management interface on the VMR which causes a virtual Map Detach IMSI. Also see Paragraph [02811).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "IMSI" of Wood in the invention of Sadhwani in view of Miyahira, because the IMSI is another indication of the user and associated calling country and network, with certain countries a language is associated with that specific country, and this makes the verification for language translation easier.

As per claim 6, Sadhwani in view of Miyahira teach the method of claim 1 but do not explicitly teach wherein receiving a first SMS message includes receiving an SMS signaling message having an Internet protocol (IP) address and wherein searching said SMS message translation database includes searching based on the IP address.

Woods in the same field of endeavor teaches, an IP protocol as another standard in the telecommunication process, (A further advantage of using IP protocol to connect the applications via the network element to the mobile network IP is already widely used Paragraph [0024]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "IP addresses" of Wood in the invention of Sadhwani in view of Miyahira, because the IP address is another indication of the user on the wireless communication network and associated calling country and network, with certain countries a language is associated with that specific country and this makes the verification for language translation easier.

As per claim 7, Sadhwani in view of Miyahira teach the method of claim 1, but do not explicitly teach wherein receiving a first SMS message includes receiving an SMS signaling message having an international dialing prefix and wherein searching said SMS message translation database includes searching based on the international dialing prefix.

In the same field of endeavor, Wood teaches, (For example, the first group of numbers gives the country code for the recipient mobile and the second group is defined according to which operator network the mobile user subscribes to Paragraph [0124]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "international dialing prefix or country code" of Wood in the

invention of Sadhwani in view of Miyahira, because the MSISDN is an indication of the user and associated calling country and network, with certain countries a language is associated with that specific country, and this makes the verification for language translation easier.

As per claim 13, Sadhwani in view of Miyahira teach the method of claim 12 but do not explicitly teach, "Wherein said mobile subscriber identification information is a country code ".

In the same field of endeavor, Wood teaches (For example, the first group of numbers gives the country code for the recipient mobile and the second group is defined according to which operator network the mobile user subscribes to paragraph [0124]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "international dialing prefix or country code" of Wood in the invention of Sadhwani because the country code is an indication of the user and associated calling country and network, with certain countries a language is associated with that specific country, and this makes the verification for language translation easier.

As per claim 14, Sadhwani in view of Miyahira teach the method of claim 12, but do not explicitly teach, "wherein said mobile subscriber identification information is a short code".

In the same field of endeavor, Wood teaches, (As discussed above, the SMSC 13 recognizes "short codes" and a mobile device 18 can send messages to applications connected to its home SMSC 13 by addressing the messages to the application "short code", Paragraph 101311).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "short code" of Wood in the invention of Sadhwani in view of Miyahira, because the short code is an indication of the user and associated calling country, with

certain countries a language is associated with that specific country, and this makes the verification for language translation easier.

As per claim 21, Sadhwani in view of Miyahira teach the system of claim 1 but do not explicitly teach, "Wherein said sending party information includes a short code".

In the same field of endeavor, Wood teaches (As discussed above, the SMSC 13 recognizes "short codes" and a mobile device 18 can send messages to applications connected to its home SMSC 13 by addressing the messages to the application "short code" paragraph [0131]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "short code" of Wood in the invention of Sadhwani in view of Miyahira, because the short code is an indication of the user and associated calling country, with certain countries a language is associated with that specific country and this makes the verification for language translation easier.

As per claim 22, Sadhwani in view of Miyahira teach the method of claim 1, but do not explicitly teach wherein the translation apparatus receives an SMS message having a mobile subscriber integrated services digital network (MSISDN) number and wherein searching in said message translation database includes searching based on the MSISDN number.

In the same field of endeavor, Wood teaches (An application is assigned an identifier, which corresponds, to an MSISDN number within the domain of operator network A. Thus, regardless of where a message originates, the originating network will attempt to route the message to what appears to be a mobile device in network A. Paragraph [0144]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "MSISDN" of Wood in the invention of Sadhwani in view of Miyahira because the MSISDN is an indication of the user and associated calling country and network, with certain countries a language is associated with that specific country, and this makes the verification for language translation easier.

As per claim 23, Sadhwani in view of Miyahira teach the method of claim 1, but do not explicitly teach wherein the translation apparatus receives an SMS message having an international mobile station identifier (IMSI) number and wherein searching in said SMS message translation database includes searching based on the IMSI number.

In the same field of endeavor, Wood teaches that the IMSI is another standard that is well known in the art, (Absent Subscriber--This is caused by the MSISDN being set off-line via the web management interface on the VMR which causes a virtual Map Detach IMSI. Also see Paragraph 1028.11).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "IMSI" of Wood in the invention of Sadhwani in view of Miyahira, because the IMSI is another indication of the user and associated calling country and network, with certain countries a language is associated with that specific country, and this makes the verification for language translation easier.

As per claim 25, Sadhwani in view of Miyahira teach the method of claim 1, but do not explicitly teach wherein the translation apparatus receives an SMS signaling message having an Internet Protocol (IP) address and wherein searching said SMS message translation database includes searching based on the IP address.

Woods teaches, an IP protocol as another standard in the telecommunication process, (A further advantage of using IP protocol to connect the applications via the network element to the mobile network IP is already widely used Paragraph 100241).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "IP addresses" of Wood in the invention of Sadhwani in view of Miyahira because the IP address is another indication of the user on the wireless communication network and associated calling country and network, with certain countries a language is associated with that specific country, and this makes the verification for language translation easier.

As per claim 26, Sadhwani in view of Miyahira teach the method of claim 1, but do not explicitly teach wherein the translation apparatus receives an SMS signaling message having an international dialing prefix and wherein searching said SMS message translation database includes searching based on the international dialing prefix.

In the same field of endeavor, Wood teaches, (For example, the first group of numbers gives the country code for the recipient mobile and the second group is defined according to which operator network the mobile user subscribes to. Paragraph [0124]).

Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to incorporate the "international dialing prefix or country code" of Wood in the invention of Sadhwani in view of Miyahira because the MSISDN is an indication of the user and associated calling country and network, with certain countries a language is associated with that specific country, and this makes the verification for language translation easier.

Claims 28-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chong et al. (US 5,535,120) in view of Miyahira.

As per claim 28, Chong teaches receiving a first electronic message from a first device, (Fig. 1A Receiving message 14, input data) including sending and receiving party identification information (Fig. 1A recognition module 12; User II) Files);

receiving a signal associated with said first message, said signal corresponding to either a display selection from an interface display on said device or a spoken input (Fig. 1A Computer Server 10 with Receiving Interface 110), said signal indicative of a translation request searching an SMS message translation database using at least one of the sending and receiving party identification information to determine a language pair (The Receiving Interface 11 may include an interactive mode program (to be described further herein) whereby a user can provide cover page or header designations, update or create User 1]) files pertinent to translation parameters associated with that user's communications, or create specialized user dictionary entries during interactive text entry sessions. Col. 6 lines 36-41) and;

in response to determining said language pair (Fig. 4 Dictionary Selection 13a; Core language pair selection) translating said SMS message from a first language of said language pair to a second language of said language pair using a translation application (Fig. 4 Translation Processing Module 21), said translation application including at least one core dictionary for said language pair (Abstract, Fig. 4 Dictionary Database 22, Core language).

Chong teaches a plurality of dictionaries (Abstract). However, Chong does not explicitly teach wherein a dictionary for translation of the SMS message is selected according to a topic detected by matching words in the first message to nodes in an ontological database.

Miyahira in the same field of endeavor teaches selecting a translation dictionary from a plurality of available translation dictionaries, wherein the selected dictionary is selected according to a topic detected by matching words in the input text to nodes in an ontological database (Fig. 3, and col. 7, line 46 –col. 8, line 67, wherein the system detects the topic of the input text based on keywords within the text and matches them with nodes (topic dictionaries within the database) to select the dictionary).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time of the invention was made to incorporate the automatic dictionary switching device of Miyahira with the system of Sadhwani to select a first translation dictionary from a plurality of available translation dictionaries, wherein the first selected dictionary is selected according to a topic detected by matching words in the SMS message to nodes in an ontological database, because Miyahira teaches that this would improve translation quality (col. 1, lines 19-35).

As per claim 29, Chong teaches the method of claim 28 including the further step of communicating at least a portion of said translated message to a user of a second device audibly via a second device speaker or visibly on a display of said second device (Fig. 1A Computer Server 10 with Receiving Interface 110; output module 30, display on screen or speaker output of computer).

As per claim 30, Chong teaches the method of claim 28 wherein said translation application further includes at least one sub-language dictionary for said language pair (Fig. 4 Dictionary Database 22 Domain 1 Sub 1; Sublanguage dictionary selection).

Conclusion

5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Saito (US 6,961,706).

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Examiner has cited particular columns and line numbers in the references applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings of the art and are applied to specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the Examiner.

In the case of amending the claimed invention, Applicant is respectfully requested to indicate the portion(s) of the specification which dictate(s) the structure relied on for proper interpretation and also to verify and ascertain the metes and bounds of the claimed invention.

When responding to this office action, applicants are advised to clearly point out the patentable novelty which they think the claims present in view of the state of the art disclosed by the references cited or the objections made. Applicants must also show how the amendments avoid such references or objections. See 37C.F.R. 1.111(c). In addition, applicants are advised to provide the examiner with the line numbers and pages numbers in the application and/or references cited to assist examiner in locating the appropriate paragraphs.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Abdelali Serrou whose telephone number is 571-272-7638. The examiner can normally be reached on 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David R. Hudspeth can be reached on 571-272-7843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2626

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Abdelali Serrou/
Examiner, Art Unit 2626
3/11/08

/David R Hudspeth/
Supervisory Patent Examiner, Art Unit 2626